

**AlphaPlus® 10-12 BLEND B 50-50**

Version 1.5

Revision Date 2022-04-21

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****Product information**

Product Name : AlphaPlus® 10-12 BLEND B 50-50  
Material : 1036995

**Company** : Chevron Phillips Chemical Company LP  
10001 Six Pines Drive  
The Woodlands, TX 77380

**Emergency telephone:****Health:**

866.442.9628 (North America)  
1.832.813.4984 (International)

**Transport:**

CHEMTREC 800.424.9300 or 703.527.3887(int'l)  
Asia: CHEMWATCH (+612 9186 1132) China: 0532 8388 9090  
Mexico CHEMTREC 01-800-681-9531 (24 hours)  
South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600  
Argentina: +(54)-1159839431  
EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
Austria: VIZ +43 1 406 43 43 (24 hours/day, 7 days/week)  
Belgium: 070 245 245 (24 hours/day, 7 days/week)  
Bulgaria: +359 2 9154 233  
Croatia: +3851 2348 342 (24 hours/day, 7 days/week)  
Cyprus: 1401  
Czech Republic: Toxicological Information Center +420 224 919 293, +420 224 915 402  
Denmark: Danish Poison Center (Gifftlinjen): +45 8212 1212  
Estonia: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
Finland: 0800 147 111 09 471 977 (24 hours/day)  
France: ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week)  
Germany: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
Greece: (0030) 2107793777 (24 hours/day, 7 days/week)  
Hungary: +36-80-201-199 (24 hours/day, 7 days/week)  
Iceland: 543 2222 (24 hours/day, 7 days/week)  
Ireland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
Italy: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
Latvia: State Fire and Rescue Service, phone number: 112; Toxicology and Sepsis Clinic  
Poisoning and Drug Information Center, Hipokrāta 2, Riga, Latvia, LV-1038, phone number +371  
67042473. (24 hours.)  
Liechtenstein: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
Lithuania: +370 (85) 2362052

**AlphaPlus® 10-12 BLEND B 50-50**

Version 1.5

Revision Date 2022-04-21

Luxembourg: (+352) 8002 5500 (24 hours/day, 7 days/week)  
 Malta: +356 2395 2000  
 The Netherlands: NVIC: +31 (0)88 755 8000  
 Norway: 22 59 13 00 (24 hours/day, 7 days/week)  
 Poland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
 Portugal: CIAV phone number: +351 800 250 250  
 Romania: +40213183606  
 Slovakia: +421 2 5477 4166  
 Slovenia: Phone number: 112  
 Spain: National Emergency Telephone Number of Spanish Poison Centre: +34 91 562 04 20 (24 hours/day, 7 days/week)  
 Sweden: 112 – ask for Poisons Information

Responsible Department : Product Safety and Toxicology Group  
 E-mail address : SDS@CPChem.com  
 Website : www.CPChem.com

**SECTION 2: Hazards identification****Classification of the substance or mixture**

This product has been classified in accordance with the hazard communication standard 29 CFR 1910.1200; the SDS and labels contain all the information as required by the standard.

**Classification**

: Flammable liquids, Category 3  
 Aspiration hazard, Category 1

**Labeling**

Symbol(s)



Signal Word

: Danger

Hazard Statements

: H226: Flammable liquid and vapor.  
 H304: May be fatal if swallowed and enters airways.

Precautionary Statements

: **Prevention:**  
 P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.  
 P233 Keep container tightly closed.  
 P240 Ground/bond container and receiving equipment.  
 P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.  
 P242 Use only non-sparking tools.  
 P243 Take precautionary measures against static discharge.  
 P280 Wear protective gloves/ eye protection/ face protection.  
**Response:**  
 P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.  
 P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.  
 P331 Do NOT induce vomiting.  
 P370 + P378 In case of fire: Use dry sand, dry chemical or

**AlphaPlus® 10-12 BLEND B 50-50**

Version 1.5

Revision Date 2022-04-21

alcohol-resistant foam to extinguish.

**Storage:**

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Carcinogenicity:****IARC**

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**NTP**

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**SECTION 3: Composition/information on ingredients**

Molecular formula : Mixture

Component	CAS-No.	Weight %
1-Decene	872-05-9	30 - 60
1-Dodecene	112-41-4	30 - 60

**SECTION 4: First aid measures**

- General advice : Move out of dangerous area. Show this material safety data sheet to the doctor in attendance. Material may produce a serious, potentially fatal pneumonia if swallowed or vomited.
- If inhaled : If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
- In case of skin contact : If on skin, rinse well with water. If on clothes, remove clothes.
- In case of eye contact : Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.

**SECTION 5: Firefighting measures**

- Flash point : 55°C (131°F)
- Suitable extinguishing media : Alcohol-resistant foam. Carbon dioxide (CO<sub>2</sub>). Dry chemical.
- Unsuitable extinguishing : High volume water jet.

**AlphaPlus® 10-12 BLEND B 50-50**

Version 1.5

Revision Date 2022-04-21

media

Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.

Fire and explosion protection : Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Keep away from open flames, hot surfaces and sources of ignition.

**SECTION 6: Accidental release measures**

Personal precautions : Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

Environmental precautions : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

**SECTION 7: Handling and storage****Handling**

Advice on safe handling : Avoid formation of aerosol. Do not breathe vapors/dust. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Open drum carefully as content may be under pressure. Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Keep away from open flames, hot surfaces and sources of ignition.

**Storage**

**AlphaPlus® 10-12 BLEENDB 50-50**

Version 1.5

Revision Date 2022-04-21

Requirements for storage areas and containers : No smoking. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

**SECTION 8: Exposure controls/personal protection****Ingredients with workplace control parameters****US**

Components	Basis	Value	Control parameters	Note
1-Decene	US WEEL	TWA	100 ppm,	

**Engineering measures**

Adequate ventilation to control airborne concentrations below the exposure guidelines/limits. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

**Personal protective equipment**

Respiratory protection : Wear a supplied-air NIOSH approved respirator unless ventilation or other engineering controls are adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure. Wear a NIOSH approved respirator that provides protection when working with this material if exposure to harmful levels of airborne material may occur, such as: Air-Purifying Respirator for Organic Vapors. Use a positive pressure, air-supplying respirator if there is potential for uncontrolled release, aerosolization, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection.

Hand protection : The suitability for a specific workplace should be discussed with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : Eye wash bottle with pure water. Tightly fitting safety goggles.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Wear as appropriate: Flame retardant antistatic protective clothing. Workers should wear antistatic footwear.

Hygiene measures : When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

**AlphaPlus® 10-12 BLEND B 50-50**

Version 1.5

Revision Date 2022-04-21

**SECTION 9: Physical and chemical properties****Information on basic physical and chemical properties****Appearance**

Physical state : liquid  
 Color : Clear, colorless

**Safety data**

Flash point : 55°C (131°F)

Lower explosion limit : No data available

Upper explosion limit : No data available

Molecular formula : Mixture

Molecular weight : Not applicable

pH : No data available

Freezing point : -35°C (-31°F)

Boiling point/boiling range : 170°C (338°F)

Vapor pressure : 1.40 MMHG  
 at 25°C (77°F)  
 estimated

Density : 0.76 G/ML

Water solubility : Soluble in hydrocarbon solvents; insoluble in water.

**SECTION 10: Stability and reactivity**

**Reactivity** : No decomposition if stored and applied as directed.

**Chemical stability** : This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

**Possibility of hazardous reactions**

**Hazardous reactions** : Further information: No decomposition if stored and applied as directed.

Hazardous reactions: Vapors may form explosive mixture with air.

**Conditions to avoid** : Heat, flames and sparks.

**AlphaPlus® 10-12 BLEND B 50-50**

Version 1.5

Revision Date 2022-04-21

**Other data** : No decomposition if stored and applied as directed.

**SECTION 11: Toxicological information****Acute oral toxicity**

1-Decene : LD50: > 3,575 mg/kg  
Species: Rat  
Sex: male and female  
Method: Fixed Dose Method  
Information given is based on data obtained from similar substances.

1-Dodecene LD50: > 10,000 mg/kg  
Species: Rat  
Sex: male  
Method: Fixed Dose Method  
Information given is based on data obtained from similar substances.

**Acute inhalation toxicity**

1-Decene : LC50: > 2.1 mg/l  
Exposure time: 4 h  
Species: Rat  
Sex: male and female  
Method: OECD Test Guideline 403  
Information given is based on data obtained from similar substances.  
Not classified due to data which are conclusive although insufficient for classification.

1-Dodecene Not classified due to data which are conclusive although insufficient for classification.

**Acute dermal toxicity**

1-Decene : LD50: > 2,000 mg/kg  
Species: Rat  
Sex: male and female  
Method: OECD Test Guideline 402  
Information given is based on data obtained from similar substances.

**Skin irritation**

1-Decene : Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin resulting in desiccation of the skin.

1-Dodecene No skin irritation

**Eye irritation**

**AlphaPlus® 10-12 BLEND B 50-50**

Version 1.5

Revision Date 2022-04-21

1-Decene : No eye irritation

1-Dodecene No eye irritation  
Information given is based on data obtained from similar substances.

**Sensitization**

1-Decene : Did not cause sensitization on laboratory animals.  
Information given is based on data obtained from similar substances.

1-Dodecene Did not cause sensitization on laboratory animals.

**Repeated dose toxicity**

1-Decene : Species: Rat, Male and female  
Sex: Male and female  
Application Route: Oral  
Dose: 0, 100, 500, 1000 mg/kg  
Exposure time: 13 wks  
Number of exposures: 7 d/wk  
NOEL: 1,000 mg/kg  
Method: OCED Guideline 408  
Information given is based on data obtained from similar substances.

Species: Rat, Male and female  
Sex: Male and female  
Application Route: Inhalation  
Dose: 0, 300, 1000, 3000 ppm  
Exposure time: 13 wks  
Number of exposures: 6 hr/d, 5 d/wk  
NOEL: 3000 ppm  
Method: OECD Guideline 413  
Information given is based on data obtained from similar substances.

1-Dodecene Species: Rat, Male and female  
Sex: Male and female  
Application Route: Oral diet  
Dose: 0, 100, 500, 1000 mg/kg  
Exposure time: 13 wk  
Number of exposures: daily  
NOEL: 1,000 mg/kg  
Method: OCED Guideline 408  
Information given is based on data obtained from similar substances.

Species: Rat, Male and female  
Sex: Male and female  
Application Route: Inhalation  
Dose: 0, 300, 1000, 3000 ppm  
Exposure time: 13 wk  
Number of exposures: 6 hrs/d, 5 d/wk  
NOEL: 3000 ppm  
Method: OECD Guideline 413  
Information given is based on data obtained from similar substances.



**AlphaPlus® 10-12 BLEND B 50-50**

Version 1.5

Revision Date 2022-04-21

**Genotoxicity in vitro**

1-Decene : Test Type: Ames test  
Metabolic activation: with and without metabolic activation  
Method: Mutagenicity (Escherichia coli - reverse mutation assay)  
Result: negative

Test Type: Mammalian cell gene mutation assay  
Metabolic activation: with and without metabolic activation  
Method: OECD Guideline 476  
Result: negative

Test Type: Chromosome aberration test in vitro  
Metabolic activation: with and without metabolic activation  
Method: OECD Guideline 473  
Result: negative

1-Dodecene : Test Type: Ames test  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative

Test Type: Chromosome aberration test in vitro  
Method: OECD Guideline 473  
Result: negative

**Genotoxicity in vivo**

1-Decene : Test Type: Micronucleus test  
Species: Mouse  
Method: Mutagenicity (micronucleus test)  
Result: negative

**Reproductive toxicity**

1-Decene : Species: Rat  
Sex: male  
Application Route: Oral diet  
Dose: 0, 100, 500, 1000 mg/kg  
Method: OECD Guideline 421  
NOAEL Parent: 1,000 mg/kg  
NOAEL F1: 1,000 mg/kg

1-Dodecene : Species: Rat  
Sex: male  
Application Route: Oral diet  
Dose: 0, 100, 500, or 1000 mg/kg  
Exposure time: 44 D  
Number of exposures: daily  
Method: OECD Guideline 421  
NOAEL Parent: 1,000 mg/kg  
NOAEL F1: 1,000 mg/kg

**AlphaPlus® 10-12 BLEND B 50-50**

Version 1.5

Revision Date 2022-04-21

Species: Rat  
 Sex: female  
 Application Route: Oral diet  
 Dose: 0, 100, 500, or 1000 mg/kg  
 Exposure time: 41-55 D  
 Number of exposures: daily  
 Method: OECD Guideline 421  
 NOAEL Parent: 1,000 mg/kg  
 NOAEL F1: 1,000 mg/kg

**Aspiration toxicity**

1-Decene : May be fatal if swallowed and enters airways.  
 1-Dodecene : May be fatal if swallowed and enters airways.

**CMR effects**

1-Decene : Carcinogenicity: Not available  
 Mutagenicity: Tests on bacterial or mammalian cell cultures did not show mutagenic effects.  
 Teratogenicity: Animal testing did not show any effects on fetal development.  
 Reproductive toxicity: Animal testing did not show any effects on fertility.

1-Dodecene : Carcinogenicity: Not available  
 Mutagenicity: Tests on bacterial or mammalian cell cultures did not show mutagenic effects.  
 Teratogenicity: Not available  
 Reproductive toxicity: Animal testing did not show any effects on fertility.

**AlphaPlus® 10-12 BLEND B 50-50**

**Further information** : Solvents may degrease the skin.

**SECTION 12: Ecological information****Toxicity to fish**

1-Decene : LC50: 0.12 mg/l  
 Exposure time: 96 h  
 Species: Oncorhynchus mykiss (rainbow trout)  
 semi-static test Method: OECD Test Guideline 203  
 Information given is based on data obtained from similar substances.

1-Dodecene : No toxicity at the limit of solubility.

**Toxicity to daphnia and other aquatic invertebrates**

1-Decene : EC50: 0.56 - 1 mg/l  
 Exposure time: 48 h  
 Species: Daphnia  
 Method: OECD Test Guideline 202

1-Dodecene : No toxicity at the limit of solubility.

**AlphaPlus® 10-12 BLEND B 50-50**

Version 1.5

Revision Date 2022-04-21

**Toxicity to algae**

1-Decene : EC50: 1 - 1.8 mg/l  
 Exposure time: 72 h  
 Species: Pseudokirchneriella subcapitata (microalgae)  
 Method: OECD Test Guideline 201

1-Dodecene : No toxicity at the limit of solubility.

**M-Factor**

dec-1-ene : M-Factor (Acute Aquat. Tox.) 1  
 M-Factor (Chron. Aquat. Tox.) 1

**Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)**

1-Decene : NOEC: 0.0194 mg/l  
 Exposure time: 21 d  
 Species: Daphnia magna (Water flea)  
 Analytical monitoring: yes  
 Test substance: yes  
 Method: OECD Test Guideline 211

**Biodegradability**

1-Decene : This material is expected to be readily biodegradable.

1-Dodecene : 74.1 - 80 %  
 Testing period: 28 d  
 Method: OECD Test Guideline 301  
 This material is expected to be readily biodegradable.

**Bioaccumulation**

1-Decene : No data available

1-Dodecene : No data available

**Mobility**

1-Decene : No data available

1-Dodecene : No data available

**Results of PBT assessment**

1-Decene : Non-classified PBT substance, Non-classified vPvB substance

1-Dodecene : Non-classified PBT substance, Non-classified vPvB substance

**Additional ecological information**

: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Very toxic to aquatic life

**AlphaPlus® 10-12 BLEND B 50-50**

Version 1.5

Revision Date 2022-04-21

with long lasting effects.

**Ecotoxicology Assessment**

Short-term (acute) aquatic hazard

1-Decene : Very toxic to aquatic life.

1-Dodecene : This material is not expected to be harmful to aquatic organisms.

Long-term (chronic) aquatic hazard

1-Decene : Very toxic to aquatic life with long lasting effects.

**SECTION 13: Disposal considerations**

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Product : The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

**SECTION 14: Transport information**

**The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).**

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

**US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)**

UN3295, HYDROCARBONS, LIQUID, N.O.S., 3, III

**IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)**

UN3295, HYDROCARBONS, LIQUID, N.O.S., 3, III, (55 °C c.c.), MARINE POLLUTANT, (1-DECENE)

**IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)**

UN3295, HYDROCARBONS, LIQUID, N.O.S., 3, III

**AlphaPlus® 10-12 BLEND B 50-50**

Version 1.5

Revision Date 2022-04-21

**ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))**

UN3295, HYDROCARBONS, LIQUID, N.O.S., 3, III, (D/E), ENVIRONMENTALLY HAZARDOUS, (1-DECENE)

**RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))**

30, UN3295, HYDROCARBONS, LIQUID, N.O.S., 3, III, ENVIRONMENTALLY HAZARDOUS, (1-DECENE)

**ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)**

UN3295, HYDROCARBONS, LIQUID, N.O.S., 3, III, ENVIRONMENTALLY HAZARDOUS, (1-DECENE)

**Maritime transport in bulk according to IMO instruments****SECTION 15: Regulatory information****National legislation****SARA 311/312 Hazards** : Flammable (gases, aerosols, liquids, or solids)  
Aspiration hazard

SARA 302 Reportable Quantity : This material does not contain any components with a SARA 302 RQ.

SARA 302 Threshold Planning Quantity : This material does not contain any components with a section 302 EHS TPQ.

SARA 304 Reportable Quantity : This material does not contain any components with a section 304 EHS RQ.

SARA 313 Components : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**Clean Air Act**

**AlphaPlus® 10-12 BLEND B 50-50**

Version 1.5

Revision Date 2022-04-21

Ozone-Depletion Potential : This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489):

: 1-Dodecene - 112-41-4

**US State Regulations**

Pennsylvania Right To Know

: 1-Decene - 872-05-9  
1-Dodecene - 112-41-4

California Prop. 65 Components

: This product, as shipped, does not contain any carcinogens or reproductive toxins presently known by the State of California to cause cancer or reproductive toxicity at a level of exposure subject to the requirements of California Proposition 65.

**Notification status**

Europe REACH : This mixture contains only ingredients which have been registered according to Regulation (EU) No. 1907/2006 (REACH).

United States of America (USA) TSCA : On or in compliance with the active portion of the TSCA inventory

Canada DSL : All components of this product are on the Canadian DSL

Australia AICS : On the inventory, or in compliance with the inventory

New Zealand NZIoC : On the inventory, or in compliance with the inventory

Japan ENCS : On the inventory, or in compliance with the inventory

Korea KECI : A substance(s) in this product was not registered, notified to be registered, or exempted from registration by CPChem according to K-REACH regulations. Importation or manufacture of this product is still permitted provided the Korean Importer of Record has themselves notified the substance or the exported amount does not exceed the minimum threshold quantity of the non-registered substance(s).

Philippines PICCS : On the inventory, or in compliance with the inventory

China IECSC : On the inventory, or in compliance with the inventory

Taiwan TCSI : On the inventory, or in compliance with the inventory


**AlphaPlus® 10-12 BLEND B 50-50**

Version 1.5

Revision Date 2022-04-21

**SECTION 16: Other information**

**NFPA Classification** : Health Hazard: 1  
Fire Hazard: 2  
Reactivity Hazard: 0

**Further information**

Legacy SDS Number : 8172

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key or legend to abbreviations and acronyms used in the safety data sheet			
ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and	TSCA	Toxic Substance Control Act

**AlphaPlus® 10-12 BLEND B 50-50**

Version 1.5

Revision Date 2022-04-21

	New Chemical Substances		
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%		